Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	bluetooth$4 near10 servic$6 near10 anonymous$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:55
L2	6	bluetooth$4 near10 servic$6 same anonymous$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:22
L3	3	bluetooth$4 near10 anonymous$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:38
L4	31	bluetooth$4 same anonymous$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:24
L5	3	"6678516"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:28
L6	34	("20010028304" | "20020147766" | "20020174073" | "20030087652" | "20030100315" | "20030105719" | "4969096" | "5237157" | "5722418" | "5743054" | "5754938" | "5754939" | "5835087" | "5848396" | "5852775" | "5873068" | "5892900" | "5899025" | "5901246" | "5910987" | "5915019" | "5917912" | "5949876" | "5963916" | "5982891" | "6029195" | "6088598" | "6115709" | "6134548" | "6141760" | "6154783" | "6216014" | "6222458" | "6405027").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/31 14:31
L7	0	"200110011247"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:31
L8	2	"20010011247"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:33

L9	51	"5987440"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:33
L10	28	bluetooth$4 near10 privac$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:40
L11	34	("20010028304" | "20020147766" | "20020174073" | "20030087652" | "20030100315" | "20030105719" | "4969096" | "5237157" | "5722418" | "5743054" | "5754938" | "5754939" | "5835087" | "5848396" | "5852775" | "5873068" | "5892900" | "5899025" | "5901246" | "5910987" | "5915019" | "5917912" | "5949876" | "5963916" | "5982891" | "6029195" | "6088598" | "6115709" | "6134548" | "6141760" | "6154783" | "6216014" | "6222458" | "6405027").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/31 14:39
L12	12	bluetooth$4 same privac$4 near10 level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:43
L13	2	bluetooth$4 same privac$4 near10 anonymous$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:53
L14	266	bluetooth$4 and privac$4 near10 level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:53
L15	126	bluetooth$4 and privac$4 near10 level$3 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:54
L16	839	bluetooth$4 same secure$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:55

L17	105	bluetooth$4 same secure$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:04
L18	16	bluetooth$4 same secure$4 and @ad<"20010404" and "455".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:55
L19	20549754	bluetooth and anonymous$4 @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:04
L20	20549348	bluetooth same anonymous$4 @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:04
L21	3	bluetooth same anonymous$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:13
L22	707	bluetooth near10 connect$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:17
L23	2	bluetooth near10 connect$4 same anonymous$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:14
L24	32	bluetooth near10 connect$4 same privat$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:18
L25	7	bluetooth near10 request$4 near10 servic$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:19
L26	0	bluetooth near10 notif$10 near10 availabil$6 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:19

L27	0	bluetooth near10 notif$10 near10 avail$6 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:19
L28	23	bluetooth near10 notif$10 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:22
L29	13	bluetooth same notif$10 same service$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:22
L30	97	bluetooth same discover$4 same service$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:23
L31	5	bluetooth same discover$4 same priva$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:26
L32	9	bluetooth same discover$4 same notif$10 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:26
L33	97	bluetooth same discover$4 same servic$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:26
L34	2	bluetooth same discover$4 same servic$4 same privat$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:27
L35	30	bluetooth same discover$4 same servic$4 same level$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:30
L36	0	bluetooth same discover$4 same anonymous$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:29

L37	0	bluetooth and discover$4 same anonymous$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:29
L38	4	bluetooth same discover$4 same encrypt$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:39
L39	97	bluetooth same discover$4 same service$4 and @ad<"20010401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:39
L40	7	("6016476" | "6134453" | "6208857" | "6232970" | "6259405" | "6553345" | "6571221").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/31 15:54
L41	7	bluetooth$1 near10 subset$1 near10 profile$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:54
L42	10	bluetooth$1 same subset$1 near10 profile$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:56
L43	161	bluetooth$1 same user$4 near10 profile$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:56
L44	14	bluetooth$1 same user$4 near10 profile$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:58
L45	4	bluetooth$1 same user$4 near10 privat$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:59
L46	5	bluetooth$1 same user$4 near10 privac$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:01

L47	103	bluetooth$1 same inquir$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:36
L48	20560183	bluetooth$1 same inquir$4 same secur$4and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:02
L49	4	bluetooth$1 same inquir$4 same secur$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:31
L50	1	priva$4 near10 subset$4 near10 profile$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:34
L51	86	bluetooth$1 same profile$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:02
L52	191	bluetooth$1 and anonymous$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:02
L53	20560183	bluetooth$1 and anonymous$4 same profile$4and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:02
L54	18	bluetooth$1 and anonymous$4 same profile$4 and @ad<"20010404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:10
L55	0	709/217-219,227-229.ccls. and 713/200-202.ccls. and "455"/409. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:17
L56	0	709/217-219,227-229.ccls. and "455"/409.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:17

IEEE *Xplore*®
RELEASE 2.1

Welcome United States Patent and Trademark Office

□ **Search Results**   BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "(((bluetooth <paragraph> profile* <paragraph> anonymous*)<in>metadata)) <and&g..."   ✉ e-mail   🖨 printer friendly
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

<u>View Session History</u>   **Modify Search**

<u>New Search</u>   ⌈(((bluetooth <paragraph> profile* <paragraph> anonymous*)<in>metadata)) <and> (⌉ [Search ﹥]

                          ⌈ Check to search only within this results set

» Key   **Display Format:**   ⦿ Citation   ⌀ Citation & Abstract

IEEE JNL   IEEE Journal or
          Magazine

IEE JNL   IEE Journal or Magazine

IEEE CNF   IEEE Conference   **No results were found.**
          Proceeding
                          Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your
IEE CNF   IEE Conference   search.
          Proceeding

IEEE STD   IEEE Standard

                                        Help   Contact Us   Privacy & Security   IEEE.org

P⊛RTAL
USPTO

Nothing Found

Your search for **bluetooth <paragraph> profile* <paragraph> anonymous*** did not return any results.

You may want to try an <u>Advanced Search</u> for additional options.

Please review the <u>Quick Tips</u> below or for more information see the <u>Search Tips</u>.

Quick Tips

- Enter your search terms in <u>lower case</u> with a space between the terms.

  ```
  sales offices
  ```

  You can also enter a full question or concept in <u>plain language.</u>

  ```
  Where are the sales offices?
  ```

- Capitalize <u>proper nouns</u> to search for specific people, places, or products.

  ```
  John Colter, Netscape Navigator
  ```

- Enclose a <u>phrase</u> in double quotes to search for that exact phrase.

  ```
  "museum of natural history" "museum of modern art"
  ```

- Narrow your searches by using a **+** if a search term <u>must appear</u> on a page.

  ```
  museum +art
  ```

- Exclude pages by using a **-** if a search term <u>must not appear</u> on a page.

  ```
  museum -Paris
  ```

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

```
museum +"natural history" dinosaur -Chicago
```